

## BF1187-XXX-100

**PLUS: T2 Thermostatic Shower System** 

**SPECIFICATIONS** 



#### Components included

- BF1378-XXX \* : Rainhead and 90° wallarm
- 102850-XXX \* : 3-jet handshower
- 101323-XXX \* : Wallbar
- 101620-XXX \*: 60" flexible and soft PVC hose
- BF1152-XXX \*: 1/2" Volume control valve and decorative trim
- BF1148-XXX \*: 1/2" Thermostatic valve and decorative trim
- 102347-XXX \*: Wall outlet with volume control

#### **Colors (Finishes)**

• Chrome: BF1187-110

• Brushed Nickel PVD: BF1187-120

#### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

<sup>\*</sup> XXX means that the finish color must be specified.



### **BF1378**

### PLUS: Rainhead and 90° Wallarm

#### **SPECIFICATIONS**

#### **Features**

- Water 1/2" male inlet NPT
- Diameter of 254mm (10")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

Chrome: BF1378-110

• Brushed Nickel PVD: BF1378-120

#### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

# c Us

#### **Packaging**

- **Dimensions**: 406mm x 324mm x 133mm (16" x 12 3/4" x 5 1/4")
- **Volume**: 0.62 cu ft (0.018 cu m)
- **Total weight**: 2.56 lb (1.16 kg)

#### **Maximum flow rate**

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



### 102850

**PLUS: 2-Jet Handshower** 

**SPECIFICATIONS** 

#### **Features**

- Diameter of 121mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: 102850-**110** 

Brushed Nickel PVD: 102850-120

#### **Packaging**

- **Dimensions**: 349mm x 171mm x 178mm (13 3/4" x 6 3/4" x 7")
- Volume: 0.375 cu ft (0.01 cu m)
  Total weight: 0.69 lb (0.315 kg)

#### Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi



#### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

## BELLINO<sup>TM</sup> / CITÉ<sup>TM</sup>



### Wallbar for Handshower

**SPECIFICATIONS** 



- Total height of 762mm (30")
- Locking system of 1/4 turn
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**


• Chrome: 101323-110

• Brushed Nickel PVD: 101323-120

#### **Packaging**

• **Dimensions**: 832mm x 152mm x 89mm (32 3/4" x 6" x 3 1/2")

Volume: 0.40 cu ft (0.011 cu m)
 Total weight: 1.9 lb (0.86 kg)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



### 1/2" Volume Control Valve and Decorative Trim

### **SPECIFICATIONS**

#### **Features**

- · No visible screw
- Water 1/2" female inlet NPT threaded
- Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: BF1152-**110** 

Brushed Nickel PVD: BF1152-120

#### **Certifications**


The specified model meets or exceeds the following standards:

• ASME A112.18.1 / CSA B125.1



#### **Packaging**

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 2.09 lb (0.95 kg)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

**BF1148** 



### 1/2" Thermostatic Valve and Decorative Trim

#### **SPECIFICATIONS**

#### **Features**

- · No visible screw
- Water 1/2" male inlet NPT threaded or welded
- · Shut-off valves included
- · Solid brass construction
- Total adjustment of 19mm (3/4")
- Included support for better stability during installation
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: BF1148-**110** 

Brushed Nickel PVD: BF1148-120

#### **Certifications**

The specified model meets or exceeds the following standards:

ASME A112.18.1 / CSA B125.1



#### **Packaging**

- **Dimensions**: 362mm x 184mm x 191mm (14 1/4" x 7 1/4" x 7 1/2")
- **Volume**: 0.45 cu ft (0.013 cu m)
- **Total weight**: 4.59 lb (2.08 kg)

#### Maximum flow rate

• 40 liters/min. (10.56 gallons/min.) at 60 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9





**SPECIFICATIONS** 

#### **Features**

- Water 1/2" female inlet NPT
- Water G1/2 male oulet
- Cartridge 3/4 with ceramic disc
- · Solid brass construction
- Check valve included
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: 102347-**110** 

Brushed Nickel PVD: 102347-120

#### **Packaging**

• **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
Total weight: 0.75 lb (0.34 kg)



**Certifications** 

The specified model meets or exceeds the following standards:

ASME A112.18.1 / CSA B125.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9