



BF1512

STANDARD: T1 Thermostatic Shower System

SPECIFICATIONS



Components included

• 103604: Handshower

• 103608 : Solid brass wallbar

• 101530 : 60" flexible solid brass hose

BF1524: 1/2" Thermostatic valve and decorative trim
BF1526: 1/2" Volume control valve and decorative trim

• 102847 : Wall outlet

Colors (Finishes)

• Chrome: BF1512-**110**

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1





B125.1 A112.18.1 ADA

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





103604

STANDARD: handshower

SPECIFICATIONS

Features

- 83 mm (3 ½") diameter
- Water G½ male inlet
- Max. flow 9.5 L/min (2.5 gpm)
- Solid brass construction

Colors (Finishes)

• Chrome: 103604-**110**

Certifications

The specified model meets or exceeds the following standard;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 255mm x 85mm x 80mm (10" x 3 3/8" x 3 1/8")
- **Volume**: 0.066 cu ft (0.0017 cu m)
- **Total weight**: 0.9 lb (0.4 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f ② ♯ 描



103608

Wallbar for Handshower

SPECIFICATIONS

Features


- Total height of 650 mm (25 \(^{8}\))
- Locking system of 1/4 turn
- · Solid brass construction

Colors (Finishes)

• Chrome: 103608-110

Packaging

- **Dimensions**: 806mm x 197mm x 191mm (31 3/4" x 7 3/4" x 7 1/2")
- **Volume**: 0.039 cu ft (0.001 cu m)
- Total weight: 2.2 lb (1 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f ② ♯





BF1524

1/2" Thermostatic Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screws
- 1/2" male inlet NPT threaded or welded
- · Shut-off valves included
- Total adjustment of 19 mm (3/4"
- Support for better stability during installation included
- Can be installed back-to-back
- Push-button diverter with automatic reset
- Solid brass construction

Colors (Finishes)

Chrome: BF1524-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 362mm x 184mm x 191mm (14 1/4" x 7 1/4" x 7 1/2")
- **Volume**: 0.45 cu ft (0.013 cu m)
- **Total weight**: 3.97 lb (1.8 kg)

Maximum flow rate

• 20 liters/min. (5.28 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089





BF1526

1/2" Volume Control Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Water 1/2" female inlet NPT threaded
- Solid brass construction

Colors (Finishes)

• Chrome: BF1526-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5%" x 3 5%")
- Volume: 0.12 cu ft (0.003 cu m)
 Total weight: 1.88 lb (0.85 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089



102847 Wall Outlet

SPECIFICATIONS

Features

- Water 1/2" NPT (male or female) inlet
- Water G1/2 male oulet
- · Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 102847-110

Brushed Nickel PVD: 102847-120

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.40 lb (0.18 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc. 1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

t. **1-418-387-9090 1 877 GO KALIA** (1-877-465-2542) f. 1-418-387-9089 www.KaliaStyle.com