RUSTIK



BF1488-110-001

STANDARD: T2 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1508: Rainhead with vertical arm
- 103604: Handshower
- 103608: Solid brass wallbar
- 101530: 60" flexible solid brass hose
- BF1524: AQUATONIK[™] type T/P 1/2" valve and decorative trim
- BF1526: 1/2" Volume control valve and decorative trim
- 102847: Wall outlet

Colors (Finishes)

• Chrome: BF1488-110-001

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1488, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com

RUSTIKTM



BF1508 STANDARD: Rainhead with vertical ceiling arm

SPECIFICATIONS

Features

- 1/2" NPT male inlet
- 229 mm (9") diameter
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- Solid brass construction rainhead

Colors (Finishes)

• Chrome : BF1308-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 406mm x 324mm x 133mm (16" x 12 3/4" x 5 1/4")
- Volume: 0.231 cu ft (0.0055 cu m)
- Total weight: 3.23 lb (1.47 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f の ♯

Kalia

RUSTIK

103604 STANDARD: handshower

SPECIFICATIONS

Features

- 83 mm (3 ¹/₄") diameter
- Water G¹/₂ male inlet
- Max. flow 9.5 L/min (2.5 gpm)
- Solid brass construction

Colors (Finishes)

• Chrome : 103604-110

Certifications

The specified model meets or exceeds the following standard;

ASME A112.18.1 / CSA B125.1



Packaging

- Dimensions: 255mm x 85mm x 80mm (10" x 3 3/8" x 3 1/8")
- Volume: 0.066 cu ft (0.0017 cu m)
- Total weight: 0.9 lb (0.4 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com



103608 Wallbar for Handshower *SPECIFICATIONS*

Features

- Total height of 650 mm (25 ⁵/₈")
- Locking system of 1/4 turn
- Solid brass construction

Colors (Finishes)

• Chrome : 103608-110

Packaging

- Dimensions: 806mm x 197mm x 191mm (31 3/4" x 7 3/4" x 7 1/2")
- Volume: 0.039 cu ft (0.001 cu m)
- Total weight: 2.2 lb (1 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





RUSTIKTM

BF1524

AQUATONIK[™] type T/P 1/2" valve and decorative trim

SPÉCIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Colors (Finishes)

• Chrome : BF1524-110

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1





Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm
- $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$
- Volume: 0.014 cu m (0.51 cu ft)
- Total weight: 2.45 kg (5.4 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





BF1526 1/2" Volume Control Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Water 1/2" female inlet NPT threaded
- Solid brass construction

Colors (Finishes)

• Chrome : BF1526-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- Dimensions: 305mm x 117mm x 92mm (12" x 4 ⁵/₈" x 3 ⁵/₈")
- Volume: 0.12 cu ft (0.003 cu m)
- Total weight: 1.88 lb (0.85 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





102847 Wall Outlet **SPECIFICATIONS**

Features

- Water 1/2" NPT (male or female) inlet
- Water G1/2 male oulet
- Solid brass construction
- PVD finish (Physical Vapour Deposit): A high • technology process that protects the surface finish for increased durability


Colors (Finishes)

- Chrome : 102847-110 ٠
- Brushed Nickel PVD: 102847-120

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

•

(12" x 4 5/8" x 3 5/8")

Dimensions: 305mm x 117mm x 92mm

Volume: 0.12 cu ft (0.003 cu m)

Total weight: 0.40 lb (0.18 kg)

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.

