

Talis S

Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM

Finishes : **stainless steel finish** Part no. : **04286800**



Description

Features

- Swivel range 150°
- Full and needle spray
- Non-locking spray diverter
- MagFit magnetic sprayhead docking
- maximum Flow rate at 44 PSI: 1.75 GPM
- Flow: 1.75 GPM (6.6 L/min)
- Ceramic cartridge
- 3/8" hoses


Item details

List Price \$ 668.00

Technology




Compliance



Product image



Scale drawing



Talis S


Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM

Finishes : **stainless steel finish** Part no. : **04286800**



Exploded drawing

Year of production: >11/15



Talis S

Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM

Finishes : **stainless steel finish** Part no. : **04286800**



Spare parts list

Year of production: >11/15

Pos.	Description	Part no.	Price	PU
1	handle	95560800	-	1
2	flange	95498800	-	1
3	nut	97209000	-	1
4	cartridge, assy	92730000	-	1
5	seal	95008000	-	1
6	locking screw for handle	95140000	-	1
7	support	97523000	-	1
8	fixing set (Ø 34)	95049000	-	1
9	weight	92500000	-	1
10	hose 1,50 m	88624000	-	1
11	spray head cpl.	88658860	-	1
12	set of non return valves DW 15	97350000	-	1
13	non return valve	93218000	-	1
14	aerator M24x1 (15 l/min)	13913800	-	1
15	filter	97735000	-	1
16	connection hose 35½" M8x0,75 3/8"	96316001	-	1
17	screw cover	96338000	-	1
18	connection hose 600 mm M10x1	95561000	-	1
19	set of lever collars	98365000	-	1