## **SQUARE***ONE*<sup>TM</sup>



## **BF1648-XXX**

## **TCD1 Thermostatic Coaxial Shower System**

#### **SPECIFICATIONS**



#### **Components included**

- BF1586-XXX\*: 2-way **AQUATONIK**<sup>TM</sup> type T/P 1/2" coaxial valve with diverter (operates 1 or 2 components at a time) and decorative trim
- BF1626-XXX\*: Rainhead with 90° wall arm
- 104289-XXX\*: 2-jet handshower (2 direct functions and 1 shared function)
- 103576-XXX\*: Wallbar
- 101620-XXX\*: 60" flexible and soft PVC hose
- 106193-XXX\*: Wall outlet
- \* XXX means that the finish color must be specified.

#### **Colors (Finishes)**

- Chrome: BF1648-110
- Pure Nickel PVD: BF1648-125
- Matte Black: BF1648-160

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADAG

See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



## **SQUARE***ONE*<sup>TM</sup>



BF1586

2-way AQUATONIK<sup>TM</sup> type T/P 1/2" coaxial valve with diverter and decorative trim

### **SPÉCIFICATIONS**

#### **Features**

- 2 male water inlets 1/2NPT threaded or welded
- 2 male water outlets 1/2NPT threaded or welded
- · Solid brass construction
- Total adjustment of 32 mm (1 1/4")
- · Can be installed back to back
- Support included for better stability during installation
- Operates 1 or 2 components at a time

#### **Colors (Finishes)**

• Chrome: BF1586-110

Pure Nickel PVD: BF1586-125Matte Black: BF1690-160

#### Maximum flow rate


1 outlet: 25 L/min (6.6 gpm) at 60 psi
2 outlets: 29 L/min (7.7 gpm) at 60 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ICC A117.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



## **BF1626**

## Rainhead with 90° Wallarm

## **SPÉCIFICATIONS**

#### **Features**

- Male water inlet 1/2NPT on vertical arm
- Rainhead dimension:
   260 mm x 188 mm x 16 mm (10 1/4" x 7 3/8" x 5/8")
- Soft tips for easy cleaning of limescale
- Adjustable orientation swivel
- Solid brass arm and plastic rainhead construction


#### **Colors (Finishes)**

• Chrome: BF1626-110

Pure Nickel PVD: BF1626-125Matte Black: BF1626-160

#### Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





#### **Features**

Male water inlet G1/2

Dimension: 80 mm (3 1/8") x 110 (4 3/8")

2 direct functions and 1 shared function

Soft tips for easy cleaning of limescale

#### **Colors (Finishes)**

Chrome: 104289-110

Pure Nickel PVD: 104289-125 Matte Black: 104289-160

#### Maximum flow rate

• 7.6 L/min. (2 gpm) at 80 psi

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com

## 103576 Wallbar for handshower

## **SPÉCIFICATIONS**

#### **Features**


- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

#### **Colors (Finishes)**

Chrome: 103576-110

Pure Nickel PVD: 103576-125


Matte Black: 103576-**160** 



#### **Installation Notes**

This product must be installed following the installation instructions provided.

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com





# **106193** Wall Outlet

## **SPÉCIFICATIONS**


#### **Features**

- Female water inlet 1/2NPT
- Male water oulet G1/2
- · Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: 106193-**110** 

Pure nickel PVD: 106193-125Matte black: 106193-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



01/21 106193\_EN