



MODEL NUMBER:

ESTATE® VORMAX™ RIGHT HEIGHT® ELONGATED TOILET

207AA 104

- **VorMax flushing technology cleans two times better than conventional toilets^Δ**
- CleanCurve™ rim eliminates rim area where dirt and buildup hide
- Vitreous china
- HET (High Efficiency Toilet) ultra-low consumption 1.07 gpf/4.8 Lpf, utilizes 20% less water
- Meets EPA WaterSense® criteria
- Elongated siphon action jetted bowl
- 16-1/2" rim height for accessible applications
- Fully glazed 2-1/16" trapway
- Dual injection flush valves
- Classic traditional styling on bowl and tank
- EverClean® surface included
- Chrome trip lever
- Includes EZ-Install tools with color matched bowl caps
- 10 year warranty
- Best 1,000g MaP Score** at 1.07 gpf
- Coordinates with Estate® Suite of fixtures

3070A 101 Right Height® Bowl

4570A 104 Right Height® Bowl

- Trip lever (specify finish)
- Chrome supplied

207AA 104 Shown

Nominal Dimensions:

768 x 478 x 782 mm
(30-1/4" x 18-13/16" x 30-13/16")

Compliance Certifications - Meets or Exceeds the Following Specifications:

- ASME A112.19.2-2008/CSA B45.1-08 for Vitreous China Fixtures
- US EPA WaterSense® Specification for HETs

To Be Specified:

- Color: White Linen
- Supply with Stop:

Δ Source: IAPMO R&T Labs Test Report No.109-141486-002, comparing VorMax™ against conventional under-the-rim-waterdispersal toilets from major retailers.

** Maximum Performance (MaP) testing performed by IAPMO R&T Lab. MaP Report conducted by Veritec Consulting, Inc. and Koeller and Company.

NOTES:
THIS COMBINATION IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305 MM (12") FROM FINISHED WALL TO C/L OF OUTLET.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLY ARE SUGGESTED.
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Barrier Free

