

# Castia™ by Studio McGee

Wall-mount bathroom sink faucet trim, 1.2 gpm K-T35909-3

#### **Features**

- Designed in collaboration with Studio McGee
- Two cross handles offer separate control of hot and cold water
- 7" (178 mm) spout reach
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar)
- Coordinates with other products in the Castia collection
- Requires valve (sold separately)

#### Material

- Premium material construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

#### Installation

Wall-mount

# **Required Products/Accessories**

For wall-mount installation K-410-K Wall-mount Valve

## Adapters, Rough-in and Extension Kits

1349542 Range: 2-1/2" (64 mm) - 3-1/2" (89 mm)

### **Recommended Products/Accessories**

K-23726 Drain treatment

K-35925 18" towel bar

K-35926 24" towel bar

K-35927 Double robe hook

K-35928 Towel ring

K-35929 Toilet paper holder

#### **Optional Products/Accessories**

K-25322 Clicker drain with overflow

K-33151 Clicker drain without overflow

K-7107 Decorative Drain

K-7108 Decorative Drain

K-7129 Drain

K-7129-A Bathroom sink grid drain with overflow







#### Codes/Standards

ASME A112.18.1/CSA B125.1 NSF/ANSI/CAN 61 NSF/ANSI/CAN 372 DOE - Energy Policy Act 1992 EPA WaterSense® California Energy Commission (CEC) ADA ICC/ANSI A117.1 CSA B651 OBC

# KOHLER® Faucet Lifetime Limited Warranty

See website for detailed warranty information.

#### **Available Colors/Finishes**

Color tiles intended for reference only.


Color	Code	Description
	CP	Polished Chrome
	SN	Vibrant® Polished Nickel
	BN	Vibrant® Brushed Nickel
	BL	Matte Black
	2MB	Vibrant® Brushed Moderne Brass





# Castia™ by Studio McGee

Wall-mount bathroom sink faucet trim, 1.2 gpm K-T35909-3



## **Technical Information**

All product dimensions are nominal.

Faucet flow rate: 1.2 gal/min (4.5 l/min)

Spout:

Spout reach: 7" (178 mm)

#### **Notes**

Install this product according to the installation instructions

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

