

Components included


- 104850-XXX*: Square decorative trim for ½” pressure balance valve with volume control – cartridge included
 - BF1762-XXX*: 100 mm (4”) showerhead and 184 mm (7 1/4”) 45° wall arm with round flange
 - 105138-XXX*: Square «slip fit» tub spout with diverter
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF2087-110
- Matte Black: BF2087-160

Certifications

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**



Features

- Solid brass construction
- Total adjustment of 25 mm (1”)
- Pressure balance with volume control ceramic cartridge

Colors (Finishes)

- Chrome: 104850-110
- Matte black: 104850-160

Maximum flow rate

- 22.5 L/min (5.9 gpm) at 60 psi

Certifications

The specified model meets or exceeds the following standards;

ADA⁵




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

BF1762
Showerhead with 45° wall arm with square flange

SPECIFICATIONS

Features

45° Wall arm (105228-XXX):

- Male water inlet 1/2 NPT
- Male water outlet G1/2

Showerhead (105137-XXX):

- Female water inlet G1/2
- Diameter of 100 mm (4")
- Soft tips for easy cleaning of limescale
- Adjustable orientation swivel

Arm flange (105135-XXX):

Colors (Finishes)

- Chrome: BF1762-110
- Matte black: BF1762-160

Maximum flow rate

- 7.6 L/min (2 gpm) at 60 psi

Certifications

The specified model meets or exceeds the following standards:




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

Product dimensions:



Important : Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Features

- Water 1/2" cooper inlet
- "Slip fit" Installation

Colors (Finishes)

- Chrome: 105138-110
- Matte black: 105138-160

Certifications

The specified model meets or exceeds the following standards;




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.