

Ecostat Classic
Thermostatic Trim with Volume Control and Diverter, Round
 Finishes : **brushed nickel** Part no. : **15753821**



Description


Features

- Volume control and diverter for 2 outlets
- Flow: 7.0 GPM (26.5 L/Min)
- Thermostatic cartridge, Shut-off/ diverter valve
- Anti-scald 100° safety stop
- Optimized for water-efficient shower products

Product image



Scale drawing




Ecostat Classic
Thermostatic Trim with Volume Control and Diverter, Round
 Finishes : **brushed nickel** Part no. : **15753821**



Exploded drawing

Year of production: >12/10



Ecostat Classic
Thermostatic Trim with Volume Control and Diverter, Round
 Finishes : **brushed nickel** Part no. : **15753821**



Spare parts list

Year of production: >12/10

Pos.	Description	Part no.	PC	PU
1	screw cover	95181000	0	1
2	adapter for handle	96435000	0	1
3	adapter for handle	88772000	0	1
4	escutcheon	95556821	0	1
5	O-Ring 48x3	95508000	0	1
6	O-ring 29x3	98371000	0	1
7	sleeve	95550820	0	1
8	sleeve	95253820	0	1
9	holder for escutcheon	98793000	0	1
10	set of fixing screws	96454000	0	1
11	shut off unit with selector	98283000	0	1
12	thermostat cartridge	94282000	0	1
13	sealing set	95037000	0	1
14	set of screws	96525000	0	1
15	O-ring 16x2	98133000	0	1
16	set of non return valves DW 15	94074000	0	1
17	noise reduction	94073000	0	1
18	extension 25 mm	13595000	0	1
19	extension 22 mm (Ø 170 mm)	13596820	0	1
a	non return valve with filter	92499000	0	1