

BF1514-110

T375 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1507-110: Rainhead with 90° wall arm
- 103604-110: Handshower
- 103608: Solid brass wallbar
- 105007: 60" flexible metal hose
- BF1525: 3/4" Thermostatic valve and decorative trim
- BF1527: 3/4" Volume control valve and decorative trim (3x)
- 106192: Wall outlet
- 104777-110: Adjustable body jets (4x)

Colors (Finishes)

• Chrome: BF1514-**110**

Certifications

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





BF1507 STANDARD: Rainhead with 90° Wall arm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT
- Diameter: 225 mm (8 7/8")
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- Solid brass construction rainhead

Colors (Finishes)

Chrome: BF1507-110

Certifications

The specified model meets or exceeds the following standards;



Packaging

- · Dimensions:
 - 465 mm x 330 mm x 160 mm (18 1/4" x 13" x 6 1/4")
- **Volume**: 0.02 cu m (0.87 cu ft)
- **Total weight**: 2.45 kg (5.4 lb)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com







BF1529

STANDARD: Handshower, wallbar and 60" flexible solid brass hose assembly

SPECIFICATIONS

Features

Handshower (13604-110)

- Dimension: 83 mm (3 1/4")
- Water G½ male inlet
- Max. flow 9.5 L/min (2.5 gpm) to 80 psi
- Solid brass construction

Wallbar (103608-110)

- Total height of 650 mm (25 \(\frac{5}{8} \)")
- Locking system of 1/4 turn
- Solid brass construction

60" flexible solid brass hose (105007-110)

• 1/2 female connection

Color (Finish)

Chrome: BF1529-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

• **Dimensions**: 832 mm x 152 mm x 89 mm (32 ³/₄" x 6" x 3 ¹/₂")

Volume: 0.40 cu ft (0.011 cu m)
 Total weight: 4.07 lb (1.85 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com







BF1525

3/4" Thermostatic Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screws
- 3/4" NPT female inlet threaded
- · Shut-off valves included
- Possibility of 3 components
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Solid brass construction

Colors (Finishes)

• Chrome: BF1525-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 362mm x 184mm x 191mm (14 1/4" x 7 1/4" x 7 1/2")
- **Volume**: 0.45 cu ft (0.013 cu m)
- **Total weight**: 5.82 lb (2.64 kg)

Maximum flow rate

• 55 liters/min. (14.5 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089





BF1527

3/4" Volume Control Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Water 3/4" female inlet NPT threaded
- Solid brass construction

Colors (Finishes)

• Chrome: BF1527-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5%" x 3 5%")
- Volume: 0.12 cu ft (0.003 cu m)
- **Total weight**: 1.99 lb (0.9 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089



104777 Body jet

SPECIFICATIONS

Features

- Male water inlet 1/2 NPT
- Solid brass water raceway
- 20° adjustable spray head
- Slim profile
- 23 mm (7/8") installation adjustment
- · Round or square escutcheon trim finish
- Reccessed box included

Colors (Finishes)

• Chrome: 104777-110

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1




Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm (14 5/8" x 7 1/2" x 8 1/8")
- Volume: 0.014 m³ (0.51 pi³)
 Total weight: 0.66 kg (1.45 lb)

Maximum flow rate

• 3.8 litres/min. (1 gallons/min.) à 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ⊘ ♯



106192 Wall Outlet

SPECIFICATIONS

Features

- Female water inlet 1/2NPT
- Male water oulet G1/2
- · Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 106192-**110**

Pure nickel PVD: 106192-125Matte black: 102847-160




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



01/21 106192_EN