
# American Standard

Style That Works Better



R120 Valve Body Shown

### **GENERAL DESCRIPTION:**

Cast brass body, washerless 47mm ceramic disc valve cartridge with volume control, temperature control, and hot limit safety stop. Pressure balancing cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressure. One-half inch inlets and outlets (choice of direct sweat, threaded or PEX). Available with screwdriver stops. Rough-in plaster guard designed for use as thin-wall mounting adaptor. Valve body will accept a variety of decorative Bath/Shower trim kits.

### **PRODUCT FEATURES:**

Cast Brass Valve Body: Durable - Quality that will last a lifetime. Ideal material for prolonged contact with water.

**Ceramic Disc Valve Cartridge:** Assures a lifetime of drip-free performance. Allows easy control over both water temperature and volume.

Pressure Balancing Valve Cartridge: Maintains constant output temperature in response to changes in relative hot and cold supply pressure. Diaphragm system engineered to eliminate cross flow. Avoids failure due to mineral deposits - ideal for use in hard water.

Adjustable Hot Limit Safety Stop: Limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding.

**Exclusive Plaster Guard:** Plaster guard is designed to protect valve during installation and serve as a mounting plate for thin-wall installations. Two piece design allows valve to be tested prior to trim installation.

**Wide Rough-in Range:** From 1-5/8" to 3-1/4" (41 to 83mm).

## Rough N READY UPGRADABLE

PRESSURE BALANCE BATH/SHOWER FAUCET Volume and Temperature Control Valve

### **MODEL NUMBER:**

- R120 Pressure Balance Rough Valve Body only Direct sweat inlets/outlets. LESS trim.
- R120SS Pressure Balance Rough Valve Body only with Screwdriver stops

Direct sweat inlets/outlets. Screwdriver stops. LESS trim.


- R125 Pressure Balance Rough Valve Body only Female thread inlets/outlets. LESS trim.
- R125SS Pressure Balance Rough Valve Body only with Screwdriver stops

Female thread inlets/outlets. Screwdriver stops. LESS trim.

- R127 Pressure Balance Rough Valve Body only PEX inlets/Direct sweat outlets. LESS trim.
- R127SS Pressure Balance Rough Valve Body only with Screwdriver stops

PEX inlets/Direct sweat outlets. Screwdriver stops. LESS trim.

See reverse for available trim kits.





Rough N' READY

**UPGRADABLE** 

PRESSURE BALANCE BATH/SHOWER FAUCET Volume and Temperature Control Valve

### **CODES AND STANDARDS**

These products meet or exceed the following codes and standards:

ANSI A 117.1 ASSE 1016 ASME A112.18.1M IAPMO (cUPC)

# 8 30.3 FLOW RATE\* Spout Spout


• Showerhead with 2.15gpm/9.5L.min. flow restrictor.

### Valve + Trim: Trim Kit & Valve Body Packaged Separately

**To order:** Specify valve body *and* trim kit desired Example: R120 - Direct Sweat Valve Body T508 502 - Princeton Bath/Shower Trim Kit

(0)						
Ш	R120	R120SS	R125	R125SS	R127	R127SS
VALVES	Direct Sweat Inlets/Outlets	Direct Sweat Inlets/Outlets w/ Screwdriver Stops	Female Thread Inlets/Outlets	Female Thread Inlets/Outlets w/ Screwdriver Stops	PEX Inlets/ Direct Sweat Outlets	PEX Inlets/ Direct Sweat Outlets w/ Screwdriver Stops

TRIM KITS		Colony "Soft"	Colony "Soft" FloWise	Reliant 3	Reliant 3 w/mod Plate	Ceramix	Jasmine	Tendence
<b>E</b>	B/S	T675 562	T675 568	T385 502	T385 522	T000 502	T808 502	T086 502
•	Shower	T675 561	T675 567	T385 501	T385 521	T000 501	T808 501	T086 501
	Valve	T675 560		T385 500	T385 520	T000 500	T808 500	T086 500





# Rough N READY UPGRADABLE

**TRIM KITS for Volume & Temperature Control Valves** 

Style That Works Better

Trim Kits for R120, R120SS, R125, R125SS, R127, R127SS rough valve bodies. Showerhead with 2.15gpm/9.5L/min. maximum flow, FloWise™ showerhead with 1.25gpm (1.5gpm US)/5.7L/min. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.** 

Trim Kit	Model # Description	Finishes	Roughing-In Dimensions
COPELAND	T005 502 BATH/SHOWER Trim Kit  Metal Lever Handle  Metal wall escutcheon  Adjustable "3 function" showerhead, arm and flange Slip-on diverter tub spout  LESS Valve  T005 501 SHOWER ONLY Trim Kit  Metal Lever Handle  Metal wall escutcheon  Adjustable "3 function" showerhead, arm and flange  LESS Valve  T005 500 VALVE ONLY Trim Kit  Metal Lever Handle  Metal Lever Handle  Metal wall escutcheon	.002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD)	FRED HED WALL  A 1, or rest  OPTIONAL TO  DEPONDENT TO  RESURALITY  SET OFTIONAL  10, or rest  OPTIONAL TO  DEPONDENT TO  OPTIONAL TO  DEPONDENT TO  OPTIONAL TO  DEPONDENT TO  OPTIONAL TO
STUDIO	T506 502 BATH/SHOWER Trim Kit  Brass wall escutcheon  3" Dia. showerhead  Metal Lever Handle  Slip-on diverter tub spout  T506 501 SHOWER ONLY Trim Kit  Brass wall escutcheon  3" Dia. showerhead  Metal Lever Handle  T506 500 VALVE ONLY Trim Kit  Brass wall escutcheon  Metal Lever Handle	.002 Polished Chrome .295 Satin (PVD)	FINISHED WALL 2-3/8" T  4-1/2" REF.  OPTIONAL TO RISHLED FLOOR  SOLUTION SOLUTION SOLUTION SOLUTION SOLUTION TOP OF TUB RIM  BOTTOM OF TUB RIM  BOTTOM OF TUB RIM  BOTTOM OF