

# BF1609-XXX-201

PREMIA: TD3 Thermostatic Shower System

#### **SPECIFICATIONS**



#### **Components included**

- BF1307-110: AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim
- BF1539-110: 3-way 1/2" diverter and decorative trim (operates 1 or 2 components at a time)
- BF1398-XXX\*: Rainhead with vertical ceiling arm
- 103579-XXX\*: 2-jet handshower (2 direct functions and 1 shared function)
- 103576-110: Wallbar
- 101620-XXX: 60" flexible and soft PVC hose
- 106193-110: Wall outlet
- 102871-110: Tub spout
- \* XXX means that the finish color must be specified.

#### **Colors (Finishes)**

- Chrome: BF1609-**110**-201
- Chrome and black: BF1609-**150**-201

#### Certifications

The specified model meets or exceeds the following standards;



ASME A112.18.1

See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







# PREMIA: Rainhead with vertical ceiling arm

**SPECIFICATIONS** 

#### **Features**

Water 1/2" male inlet NPT
Dimensions: 200 x 319.5 mm (7 7/8"x 12 1/2")

• Anti-scale system with soft sprays

Adjustable orientation swivel

• 2 direct positions and 1 shared position

#### **Colors (Finishes)**

• Chrome: BF1398-110

Chrome and black: BF1398-150

#### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



#### **Packaging**

• **Dimensions**: 340 mm x 210 mm x 82 mm (13 1/3" x 8 1/4" x 3 1/4")

• Volume: 0.21 cu ft (0.06 cu m)

• **Total weight**: 3,53 lb (1,6 kg)

#### Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.** 





1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com



PREMIA: 2-jet handshower, wallbar and 60" flexible and soft PVC hose assembly

#### **SPECIFICATIONS**

#### **Features**

#### 2-jet handshower (103579-XXX)

- Dimension: 86 mm (3 3/8")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct positions and 1 shared position
- Max. flow 9.5 L/min (2.5 gpm) to 80 psi
- Plastic construction

#### Wallbar (102858-XXX)

- Total height of 775 mm (30 1/2")
- Locking system
- Easy-to-use gliding system
- Plastic construction

#### 60" flexible and soft PVC hose (101620-XXX)

1/2 female connection

#### **Colors (Finishes)**

Chrome: BF1407-110

Chrome and black: BF1407-150

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 Intertek ICC A117.1

#### **Packaging**

**Dimensions**: 820 mm x 245 mm x 205mm (32 1/4" x 9 5/8" x 8 1/8")

**Volume**: 0.04 cu m (1.45 cu ft) **Total weight**: 2.54 kg (5.6 lb)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) **F** 418-387-9089

KaliaStyle.com f Ø 🕏 🛗





## AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim

#### **SPECIFICATIONS**

#### **Features**

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

#### **Colors (Finishes)**

• Chrome: BF1307-**110** 

#### **Certifications**

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



#### **Packaging**

• **Dimensions**: 370 mm x 190 mm x 205 mm (14 \( \frac{5}{8} \) x 7 \( \frac{1}{2} \) x 8 \( \frac{1}{8} \))

Volume: 0.014 cu m (0.51 cu ft)
Total weight: 2.48 kg (5.47 lb)

#### **Maximum flow rate**

• 30 liters/min. (7.9 gallons/min.) at 60 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ② ♯





# 3-way 1/2" diverter and decorative trim

## **SPECIFICATIONS**

#### **Features**

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 or 2 components at a time

#### **Colors (Finishes)**

Chrome: BF1539-110

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
ASME A112.18.1
Intertek ICC A117.1

#### **Packaging**

- **Dimensions**: 315 mm x 125 mm x 115 mm  $(12 \frac{3}{8}$ " x 4  $\frac{7}{8}$ " x 4  $\frac{1}{2}$ ")
- **Volume**: 0.004 cu m (0.16 cu ft)
- **Total weight**: 1.22 kg (2.69 lb)

#### **Maximum flow rate**

- 1 outlet: 22.5 liters/min. (6 gallons/min.) at 60 psi
- 2 outlets: 23.5 liters/min. (6.7 gallons/min.) at 60 psi





#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com





# 102871 **Tub Spout**

## **SPÉCIFICATIONS**

#### **Features**

- Male water inlet 1/2NPT
- Solid brass construction
- Regular water jet
- High water flow

#### **Colors (Finishes)**

Chrome: 102871-110

#### **Certifications**


The specified model meets or exceeds the following standards;



CSA B125.1

#### **Packaging**

- **Dimensions:** 340 mm x 300 mm x 60 mm (13 3/8" x 11 3/4" x 2 3/8")
- **Volume**: 0.006 cu m (0.22 cu ft)
- **Total weight**: 0.7 kg (1.54 lb)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

KaliaStyle.com





# **106193** Wall Outlet

## **SPÉCIFICATIONS**


#### **Features**

- Female water inlet 1/2NPT
- Male water oulet G1/2
- · Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: 106193-**110** 

Pure nickel PVD: 106193-125Matte black: 106193-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



01/21 106193\_EN