



BF1179-XXX-101

PLUS: T2 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1384-XXX*: Rainhead and vertical ceiling arm
- 102860-XXX*: 2-jet handshower
- 101328-XXX* : Wallbar
- 101620-XXX*: 60" flexible and soft PVC hose
- BF1122-XXX* : 1/2" Volume control valve and decorative trim
- BF1118-XXX*: AQUATONIKTM type T/P 1/2" valve and decorative trim
- 101237-XXX*: Wall outlet with volume control

Colors (Finishes)

• Chrome: BF1179-**110**-001

• Brushed Nickel PVD: BF1179-120-001

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

ICC A117.1



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



^{*} XXX means that the finish color must be specified.



BF1384

PLUS: Rainhead and Vertical Ceiling Arm

SPECIFICATIONS

Features

- Water 1/2" male inlet NPT
- Dimension: 251 x 251mm (9 7/8" x 9 7/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: BF1384-110

• Brushed Nickel PVD: BF1384-120

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 406mm x 324mm x 133mm (16" x 12 3/4" x 5 1/4")
- **Volume**: 0.62 cu ft (0.018 cu m)
- **Total weight**: 2.13 lb (0.965 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



102860

PLUS: 2-Jet Handshower

SPECIFICATIONS

Features

- Dimension: 121 mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 positions
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 102860-110

Brushed Nickel PVD: 102860-120

Packaging

- **Dimensions**: 349mm x 171mm x 178mm (13 3/4" x 6 3/4" x 7")
- Volume: 0.376 cu ft (0.01 cu m)
 Total weight: 0.66 lb (0.3 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi



Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



101328

Wallbar for Handshower

SPECIFICATIONS

Features

- Total height of 762mm (30")
- Locking system of 1/4 turn
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)


• Chrome: 101328-110

Brushed Nickel PVD: 101328-120

Packaging

• **Dimensions**: 832mm x 152mm x 89mm (32 3/4" x 6" x 3 1/2")

Volume: 0.40 cu ft (0.011 cu m)
 Total weight: 1.9 lb (0.86 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 t. **1-418-387-9090 1 877 GO KALIA** (1-877-465-2542) f. 1-418-387-9089 www.KaliaStyle.com

101328_EN





SPECIFICATIONS



- · No visible screw
- Water 1/2" female inlet NPT threaded
- · Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: BF1122-**110**

• Brushed Nickel PVD: BF1122-120

Certifications

The specified model meets or exceeds the following standards:

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- Volume: 0.12 cu ft (0.003 cu m)
- **Total weight**: 2.09 lb (0.95 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9





BF1118

AQUATONIKTM type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Colors (Finishes)

- Chrome: BF1118-**110**
- Brushed Nickel PVD: BF1118-120

Certifications

The specified model meets or exceeds the following standards:

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm (14 \(\frac{5}{8} \) x 7 \(\frac{1}{2} \) x 8 \(\frac{1}{8} \))
- Volume: 0.014 cu m (0.51 cu ft)
 Total weight: 3.4 kg (7.5 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ⊘ ♯





SPECIFICATIONS



- Water 1/2" female inlet NPT
- Water G1/2 male oulet
- Cartridge 3/4 with ceramic disc
- · Solid brass construction
- · Check valve included
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 101237-110

• Brushed Nickel PVD: 101237-120

Packaging

• **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")

• **Volume**: 0.12 cu ft (0.003 cu m)


• **Total weight**: 0.75 lb (0.34 kg)



Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1




This product must be installed following the installation instructions provided.

WARRANTY

Installation Notes

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9