

**ShowerSelect**  
**Thermostatic Trim for 2 Functions, Square**  
 Finishes : **brushed nickel** Part no. : **15763821**



## Description

### Features

- Select push-button on/off control for 2 outlets
- Outlets may be operated simultaneously
- Flow: 8.0 GPM (30.3 L/Min) / 2.0 GPM (7.6 L/Min)
- Thermostatic cartridge, Start/stop cartridge
- Anti-scald 100° safety stop
- Optimized for water-efficient shower products
- Trim comes with Select buttons: handshower and Rain
- Optional accessory to limit total flow to 2.0 GPM @ 80 psi where required


## Technology



## Product image



## Scale drawing




**ShowerSelect**  
**Thermostatic Trim for 2 Functions, Square**  
 Finishes : **brushed nickel**    Part no. : **15763821**



**Exploded drawing**

Year of production: >12/14



**ShowerSelect**  
**Thermostatic Trim for 2 Functions, Square**  
 Finishes : **brushed nickel** Part no. : **15763821**



## Spare parts list

Year of production: >12/14

| Pos. | Description                                       | Part no. | PC | PU |
|------|---------------------------------------------------|----------|----|----|
| 1    | non return valve                                  | 97980000 | 0  | 1  |
| 2    | noise reduction                                   | 94073000 | 0  | 1  |
| 3    | O-ring 16x2                                       | 98133000 | 0  | 1  |
| 4    | set of screws                                     | 96525000 | 0  | 1  |
| 5    | O-ring 36x2                                       | 98156000 | 0  | 1  |
| 6    | shut off unit                                     | 95758000 | 0  | 1  |
| 7    | nut                                               | 98368000 | 0  | 1  |
| 8    | Select-adapter                                    | 92219000 | 0  | 1  |
| 9    | thermostat cartridge                              | 98282000 | 0  | 1  |
| 10   | O-ring 20x1,5                                     | 98197000 | 0  | 1  |
| 11   | O-ring 25x1,5                                     | 98146000 | 0  | 1  |
| 12   | O-ring 25x2,5                                     | 92146000 | 0  | 1  |
| 13   | nut                                               | 98913000 | 0  | 1  |
| 14   | sleeve                                            | 92216820 | 0  | 1  |
| 15   | handle fixing set                                 | 95843000 | 0  | 1  |
| 16   | holder for escutcheon                             | 98793000 | 0  | 1  |
| 17   | set of fixing screws                              | 96454000 | 0  | 1  |
| 18   | escutcheon 155 / 155 mm                           | 92217821 | 0  | 1  |
| 19   | O-ring 44x4                                       | 98471000 | 0  | 1  |
| 20   | handle for thermostat                             | 92215821 | 0  | 1  |
| 21   | fit-up aid                                        | 92540000 | 0  | 1  |
| 22   | non return valve (pressure-resistant up to 2 MPa) | 92594000 | 0  | 1  |
| 23   | compensation set 1°                               | 95521000 | 0  | 1  |
| 24   | extension 25 mm                                   | 13595000 | 0  | 1  |
| 25   | extension 22 mm                                   | 13593820 | 0  | 1  |
| a    | shut off unit (special)                           | 92361000 | 0  | 1  |
| b    | nut and flange                                    | 92696000 | 0  | 1  |
| c    | Grease                                            | 90920000 | 0  | 1  |