

# DTV Prompt® Digital Three-Port Thermostatic Valve K-557-K

#### **Features**

- Digitally controlled thermostatic mixing valve.
- Antiscald protection.
- Three independently controllable 1/2" outlets with copper tube connections.
- Up to 13 gallons per minute (49.2 L) flow rate with maximum flow of 8 gallons per minute (30.3 L) from one outlet.
- 1/2" (12.7 mm) inlets with copper tube connections.
- High-temperature limit setting for additional protection.

#### Material

Reinforced engineering-grade thermoplastic body.

#### Installation

- Can be mounted within a standard 2x4 wall cavity.
- Prewired with three-prong plug for connection to 110 V AC receptacle.

#### **Required Products/Accessories**

K-558 Three Outlet Digital Interface

#### **Included Components**

Additional Components:

Filter screens

Jumper

Mounting hardware



#### Codes/Standards

ASME A112.18.1/CSA B125.1 ASSE 1016/ASME A112.1016/CSA B125.16 UL 1951

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty


See website for detailed warranty information.



## **KOHLER**, Faucets

### **DTV Prompt®**

Digital Three-Port Thermostatic Valve
K-557-K



#### **Required Electrical Service**

One circuit required.

Thermostatic valve: 120 V, 15 A, 60 Hz

#### **Technical Information**

All product dimensions are nominal.

Electrical component Thermostatic valve: 120 V, 0.31 A, 60

rating: Hz

Max. Ambient temp: 104°F (40°C)

Max. Relative 95%

humidity noncondensing:

#### **Notes**

Install this product according to the installation guide.

If used for bath-shower system, the bath spout must be connected to the #1 outlet port and restricted to 10 gal/min (37.9 l/min) maximum.

Provide access for servicing valve.

Use 1/2" supply lines.

Do not install this valve in walls exposed to subfreezing temperatures.

Avoid mounting the valve in a wall adjacent to a frequently occupied room, such as a bedroom or living room.

Pressure regulators are strongly recommended in applications where large pressure swings are anticipated or pressure differences between the supplies exist, such as commercial installations with separate hot and cold supply systems.

Water hammer arrestors and shut-offs are required in both the hot and cold supplies.

A 1/2" cap must be installed on any unused outlet.

