

BF1187-110-001

STANDARD: Système de douche thermostatique T2

SPÉCIFICATIONS



Composantes incluses

- BF1148-110 : Valve 1/2" de type T/P AQUATONIK^{MC} et finition
- BF1152-110 : Valve de contrôle de volume 1/2" et finition
- BF1377-110 : Tête de pluie avec bras vertical
- 102852-110 : Douchette à main 3 fonctions
- 101323-110: Rail pour douchette
- 102347-110 : Coude d'alimentation avec contrôle de volume intégré
- 101620-110 : Boyau flexible de PVC 60"

Couleurs (Finis)

• Chrome: BF1187-**110**-001

Certifications

Le modèle spécifié rencontre ou dépasse les normes suivantes ;



Voir les fiches suivantes pour les caractéristiques détaillées de chaque composante.

Notes d'installation

L'installation doit être conforme aux instructions d'installation fournies avec le produit.

GARANTIE

Kalia inc. garantit ses produits contre tout défaut de matériel ou de fabrication dans des conditions normales d'utilisation et d'entretien. Veuillez vous référer à la garantie Kalia comprise avec chacun des produits pour obtenir plus de détails.







AQUATONIKTM type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")
- Optional lever included

Colors (Finishes)

Chrome: BF1148-110

Maximum flow rate

30 L/min (7.9 gpm) at 60 psi


Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



BF1152

1/2" Volume Control Valve and Decorative Trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Water 1/2" female inlet NPT threaded
- Optional lever included

Colors (Finishes)

Chrome: BF1152-110


Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA







Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.





BF1377

STANDARD: Rainhead with 90° wallarm

SPECIFICATIONS

Features

- Male water inlet 1/2"NPT
- Diameter of 229 mm (9")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel
- · Solid brass arm and plastic rainhead construction

Colors (Finishes)

• Chrome: BF1377-**110**

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089



STANDARD: 3-Jet Handshower

SPECIFICATIONS

Features

- Diameter of 100 mm (4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 3 direct positions and 2 shared positions

Colors (Finishes)

• Chrome: 102852-**110**

Maximum flow rate

• 7.6 L/min (2 gpm) at 80 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



Wallbar for Handshower

SPECIFICATIONS

Features

- Total height of 762mm (30")
- Locking system of 1/4 turn

Colors (Finishes)


• Chrome: 101323-110

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ADA&




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.







Wall Outlet with Volume Control

SPECIFICATIONS

Features

- Solid brass construction
- Female water inlet 1/2NPT
- Male water oulet G1/2
- Cartridge 3/4 with ceramic disc
- · Check valve included
- · Optional lever included

Colors (Finishes)

• Chrome: 102347-110

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ADA




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



60" (1524 mm) Flexible and Soft PVC Hose

SPECIFICATIONS

Features

• G1/2 female connection

Integrated check valve

Colors (Finishes)

• Chrome: 101620-**110**

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160



Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

