



TROPIC® TWO-HANDLE CENTERSET LAVATORY FAUCET



MODEL NUMBER:

→ 7038.201 Tropic 2 Handle Centerset Metal Speed Connect® pop-up drain. Metal Lever handles.



GENERAL DESCRIPTION:

Durable cast brass spout and metal lever handles. Cast brass waterway with one-half inch male inlet shanks and brass coupling nuts. 1/4 turn washerless ceramic disc valve cartridges. 20 inch (500mm) long flexible stainless steel drain cable is pre-assembled to faucet body. Metal Speed Connect® drain body with 1-1/4" (32mm) tail piece. 1.5 gpm/5.7L/min. maximum flow rate.

PRODUCT FEATURES:

Cast Brass Spout and Waterway: Durable. Ideal for prolonged contact with water.

Ceramic Disc Valve Cartridges: Assure a lifetime of smooth handle operation and drip-free performance.

Lead Free: Faucet contains 0.25% total lead content by weighted average.

Exclusive Speed Connect Metal Drain:

- Fewer Parts installs in less time.
- No adjustments required seals the first time, every time.
- Flexible stainless steel cable installs effortlessly in tight spaces.

Simple Installation: Fast and easy one person installation. Faucet drops in from top. Quick spin nuts secure faucet in place.

SUGGESTED SPECIFICATION:

4" centerset lavatory faucet shall feature a cast brass spout and waterway with 1/2" male inlet shanks. Shall feature 1/4 turn washerless ceramic disc valve cartridges. Shall also feature a metal drain body with stainless steel cable actuation. Fitting shall be American Standard Model # 7038.201.____.

© 2011 AS America Inc.




TROPIC® TWO-HANDLE CENTERSET LAVATORY FAUCET

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ANSI A117.1 ASME A112.18.1 CSA B 125.1 NSF 61/Section 9 & Annex G

© 2011 AS America Inc.



		Finish Options	
Product		Polished Chrome	PVD Satin Nickel
Number	Description	002	295
7028.201	Tropic 2 Handle Centerset with Metal Speed Connect® Pop-up drain. Metal Lever handles.		

Meets the American Disabilities Act Guidelines and ANSI A117.1 Requirements for the physically challenged.