# KONTOUR<sup>TM</sup>



# BF1613-110-101

**PLUS: TD3 Thermostatic Shower System** 

### **SPECIFICATIONS**



### Components included

- BF1391-110: Tête de pluie avec bras vertical au plafond
- 102850-110: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 101620-110: 60" flexible and soft PVC hose
- BF1300-110: AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim
- BF1540-110: 1/2" Volume control valve with 3-way diverter and decorative trim (3 direct positions, 2 shared positions and 1 closed position)
- 106192-110: Wall outlet
- 102870-110: Tub spout

### **Colors (Finishes)**

• Chrome: BF1613-110-101

### **Certifications**

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



See the following sheets for the technical features of each component.

### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





### **BF1391**

# PLUS: Rainhead and Vertical Ceiling Arm

**SPECIFICATIONS** 

### **Features**

- Male water inlet 1/2NPT
- Diameter of 254 mm (10")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

### **Colors (Finishes)**

Chrome: BF1391-110

### **Packaging**

- **Dimensions**: 406 mm x 324 mm x 133 mm (16" x 12 3/4" x 5 1/4")
- Volume: 0.62 cu ft (0.018 cu m)
   Total weight: 3.11 lb (1.411 kg)

### Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi

### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1






### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089



# 102850

### PLUS: 2-Jet Handshower

### **SPECIFICATIONS**

### **Features**

- Diameter of 121mm (4 3/4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

• Chrome: 102850-110

Brushed Nickel PVD: 102850-120

### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1

### **Packaging**

- **Dimensions**: 349mm x 171mm x 178mm (13 3/4" x 6 3/4" x 7")
- Volume: 0.375 cu ft (0.01 cu m)
  Total weight: 0.69 lb (0.315 kg)

#### **Maximum flow rate**

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089



# 103577

# Wallbar for handshower

### **SPECIFICATIONS**

### **Features**

- Total height of 742 mm (30")
- Easy-to-use gliding system
- · Locking system

### **Colors (Finishes)**

• Chrome: 103577-**110** 

### **Packaging**

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- **Volume**: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.9 lb (0.86 kg)




### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f ② ♯

# **KONTOUR**<sup>TM</sup>



### **BF1300**

### AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim

### **SPECIFICATIONS**

### **Features**

- Solid brass construction
- · No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

ICC A117.1

### **Colors (Finishes)**

• Chrome: BF1300-**110** 

### **Packaging**

• **Dimensions**: 370 mm x 190 mm x 205 mm

 $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$ 

Volume: 0.014 cu m (0.51 cu ft)
 Total weight: 2.35 kg (5.18 lb)

### Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

# **KONTOUR**<sup>TM</sup>



BF1540

1/2" Volume Control Valve 3-Way Diverter and Decorative Trim

### **SPECIFICATIONS**

### **Features**

- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Solid brass construction
- Total adjustment of 19 mm (3/4")
- · Support for better stability during installation included

### Color (Finish)

• Chrome: BF1540-110

### **Packaging**

• **Dimensions**: 305 mm x 117 mm x 92 mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
Total weight: 1.99 lb (0.99 kg)

### Maximum flow rate

• 1 outlet: 22.5 liters/min. (6 gallons/min.) at 60 psi

• 2 outlets: 23.5 liters/min. (6.7 gallons/min.) at 60 psi

### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1

• ICC A117.1






### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089



# 106192 Wall Outlet

### **SPECIFICATIONS**

### **Features**

- Female water inlet 1/2NPT
- Male water oulet G1/2
- · Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

• Chrome: 106192-**110** 

Pure nickel PVD: 106192-125Matte black: 102847-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com



01/21 106192\_EN



# 102870 STANDARD: Tub Spout

### **SPECIFICATIONS**

### **Features**

- Solid brass construction
- Water jet
- High water flow
- Male water inlet 1/2NPT

### **Colors (Finishes)**

• Chrome: 102870-110

### **Packaging**

• **Dimensions**: 305 mm x 117 mm x 92 mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
 Total weight: 1.10 lb (0.5 kg)

### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1






### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089