


# GEBERIT INSTALLATION SYSTEMS

## Systems for Wall-Hung Toilets, 2x4 Installation

### Geberit Duofix Carrier, Sigma 2x4 Installation

Model No.	Description
111.798.00.1	Carrier frame with 1.6/0.8 GPF Sigma Concealed Tank
111.597.00.1	Carrier frame with 1.28/0.8 GPF Sigma Concealed Tank



**NOTES:**

1. Concealed tank shipped dual-flush ready
2. Geberit Duofix Carrier for 2-hole washdown style wall-hung toilet fixtures only
3. Refer to [geberit.us](http://geberit.us) for latest list of Code approved Compatible toilet fixtures, including certified WaterSense® combinations

**Note: For System Accessories see pages 26-28.**

### Dual-Flush Actuators, Sigma 2x4 Installation

Style	Material	Finish	Model No.
	Plastic	Alpine White	115.770.11.5
		Polished Chrome	115.770.21.5
		Matte Chrome	115.770.JQ.5
		Brass Galvanized	115.770.DT.5
		Jet Black	115.770.DW.5
	Stainless	Brushed Nickel, Polished Nickel Accent*	115.882.ID.1
		Brushed Stainless Steel, Polished Stainless Steel Accent	115.882.SN.1
		Brushed Nickel, Polished Nickel Accent, Vandal Resistant	115.889.ID.1
		Brushed Stainless Steel, Polished Stainless Steel Accent, Vandal Resistant	115.889.SN.1
		Plastic	Matte White Coated, White Accent
	White, Matte White Accent	115.882.11.1	
	Matte Black, Polished Chrome Accent	115.882.14.1	
	Matte Black Coated, Black Accent	115.882.16.1	
	Black, Matte Black Accent	115.882.DW.1	
	Matte Chrome, Polished Chrome Accent	115.882.JQ.1	
	Matte White, Polished Chrome Accent	115.882.JT.1	
	Polished Chrome, Matte Chrome Accent	115.882.KH.1	
	White, Polished Chrome Accent	115.882.KJ.1	
	White, Polished Gold Accent	115.882.KK.1	
	Black, Polished Chrome Accent	115.882.KM.1	
	Zinc PVD Red Gold Color	Customizable	115.650.00.1
		Mustang Slate	115.650.JM.1
		Concrete Look	115.650.JV.1
		Black Walnut	115.650.JX.1
		White	115.650.SL.1
		Black	115.650.SJ.1

### Dual-Flush Actuators, Sigma 2x4 Installation (continued)

Style	Material	Finish	Model No.
	Zinc PVD Black Chrome Color	Customizable	115.651.00.1
		Mustang Slate	115.651.JM.1
		Concrete Look	115.651.JV.1
		Black Walnut	115.651.JX.1
		White	115.651.SL.1
	Black	115.651.SJ.1	
	Zinc PVD Brass Color	Customizable	115.652.00.1
		Mustang Slate	115.652.JM.1
		Concrete Look	115.652.JV.1
		Black Walnut	115.652.JX.1
White		115.652.SL.1	
Black	115.652.SJ.1		
Zinc Chrome Color	Camel	115.761.00.4	
	Beige	115.761.00.5	
	Grey Linen	115.761.00.6	
	Dark Rock	115.761.00.7	
	Concrete Look	115.884.JV.1	
	Black Walnut	115.884.JX.1	
	Customer supplied overlay	115.884.00.1	
	Lava Glass	115.884.JK.1	
	Grey Sand Glass	115.884.JL.1	
	Mustang Slate	115.884.JM.1	
	White Glass	115.884.SL.1	
	Black Glass	115.884.SJ.1	
Sigma30	Plastic	Matte White Coated, Coated Accent	115.883.01.1
		White, Matte White Accent	115.883.11.1
		Matte Black, Polished Chrome Accent	115.883.14.1
		Matte Black Coated, Black Accent	115.883.16.1
		Black, Matte Black Accent	115.883.DW.1
		Matte Chrome, Polished Chrome Accent	115.883.JQ.1
		Matte White, Polished Chrome Accent	115.883.JT.1
		Polished Chrome, Matte Chrome Accent	115.883.KH.1
		White, Polished Chrome Accent	115.883.KJ.1
		White, Polished Gold Accent	115.883.KK.1
Black, Polished Chrome Accent	115.883.KM.1		
Sigma50	Zinc PVD Red Gold Color	Customizable	115.670.00.2
		White	115.670.11.2
		Black	115.670.DW.2
		Mustang Slate	115.670.JM.2
		Concrete Look	115.670.JV.2
	Black Walnut	115.670.JX.2	
	Brushed Red Gold	115.670.QB.2	
	Zinc PVD Black Chrome Color	Customizable	115.671.00.2
		White	115.671.11.2
		Black	115.671.DW.2
Mustang Slate		115.671.JM.2	
Concrete Look		115.671.JV.2	
Black Walnut	115.671.JX.2		
Brushed Black Chrome	115.671.QD.2		
Zinc PVD Brass Color	Customizable	115.672.00.2	
	White	115.672.11.2	
	Black	115.672.DW.2	
	Mustang Slate	115.672.JM.2	
	Concrete Look	115.672.JV.2	
	Black Walnut	115.672.JX.2	
Brushed Brass	115.672.QF.2		

**Products marked with  comply with the American Disabilities Act (ADA) when installed per the requirements of the latest ADA Accessibility Guidelines (ADAAG) and/or ICC/ANSI A117.1.**

The information contained in this document is subject to change without notice.

**Dual-Flush Actuators, Sigma 2x4 Installation** 

Style	Material	Finish	Model No.	
	Zinc	Concrete Look	115.788.JV.2	
		Black Walnut	115.788.JX.2	
	Chrome	Customizable	115.788.00.2	
		White	115.788.11.2	
	Color	Bright Chrome	115.788.21.2	
		Black	115.788.DW.2	
		Brushed Chrome	115.788.GH.2	
		Lava Glass	115.788.JK.2	
		Grey Sand Glass	115.788.JL.2	
		Mustang Slate	115.788.JM.2	
		Smoked Glass	115.788.SD.2	
	Sigma60 <sup>†</sup>	Zinc	Brushed Chrome	115.640.GH.1
			Glass	Lava Glass
Glass		Grey Sand Glass	115.640.JL.1	
		White Glass	115.640.SI.1	
		Black Glass	115.640.SJ.1	
		Rough-in set (included)	243.168.00.1	
		Cover frame (optional accessory), Polished Chrome	115.641.21.1	
		Cover frame (optional accessory), Brushed Chrome	115.641.GH.1	
		Sigma70	Stainless	Brushed Stainless Steel
Matte Black				115.622.14.1
Matte White				115.622.JT.1
Brushed Red Gold				115.622.QB.1
Brushed Black Chrome				115.622.QD.1
Glass	Brushed Brass		115.622.QF.1	
	Lava Glass		115.622.JK.1	
	Grey Sand Glass		115.622.JL.1	
	White Glass		115.622.SI.1	
	Black Glass		115.622.SJ.1	
Cover frame (optional accessory), Polished Chrome		115.623.21.1		
	Cover frame (optional accessory), Polished Black Chrome	115.623.QC.1		

**Single-Flush Actuators, Sigma 2x4 Installation** 

Style	Material	Finish	Model No.	
Sigma10 <sup>†</sup>	Stainless	Matte Black, Polished Chrome Accent	115.758.14.5	
		Matte White, Polished Chrome Accent	115.758.JT.5	
		Matte White Coated, White Accent	115.758.01.5	
		Matte Black Coated, Black Accent	115.758.16.5	
		Brushed Stainless Steel, Polished Stainless Steel Accent	115.758.SN.5	
		Brushed Stainless Steel, Polished Stainless Steel Accent, Vandal Resistant	115.787.SN.5	
		Plastic	Polished Chrome, Matte Chrome Accent	115.758.KH.5
			White, Polished Chrome Accent	115.758.KJ.5
			White, Polished Gold Accent	115.758.KK.5
		Matte Chrome, Polished Chrome Accent	Black, Polished Chrome Accent	115.758.KM.5
	Matte Chrome, Polished Chrome Accent		115.758.JQ.5	
	Sigma30 <sup>†</sup>	Zinc	Matte Black, Polished Chrome Accent	115.893.14.1
			Matte White, Polished Chrome Accent	115.893.JT.1
Polished Gold			115.893.45.1	
White, Polished Chrome Accent			115.893.KJ.1	
Brushed Chrome, Polished Chrome Accent			115.893.KX.1	
Polished Chrome, Brushed Chrome Accent			115.893.KY.1	

\* For round flush buttons, the accent is a trim ring; for square flush buttons, the accent is on the button edge. See GNA7181, our flush plate brochure, for full-size images and color references.

<sup>†</sup> Note: For tile, stone or other hard surfaced walls only!

<sup>‡</sup> Not intended to be sold in California with 1.6 GPF units

The information contained in this document is subject to change without notice.

**Dual-Flush Hands-Free Actuators and Transformer, Sigma 2x4 Installation**  

Style	Material	Finish	Model No.
Sigma10	Stainless	Brushed Stainless Steel, Polished Stainless Steel Accent, Vandal Resistant (with manual override, mains AC 12V)	115.856.SN.6
		Matte Black Coated, Black Accent, Vandal Resistant (with manual override, mains AC 12V)	115.856.16.6
		Black, Matte Black Accent, Vandal Resistant (with manual override, mains AC 12V)	115.856.DW.6
		Required Transformer with 12VDC output for AC powered hands-free actuator (order separately)	115.861.00.6
		Extension mains cable 12V (optional accessory for Sigma10 and Sigma80) length 71" (1.8 m)	244.094.00.1
Sigma80	Glass	Black (Mains 12V)	116.092.SG.6
		Mirror (Mains 12V)	116.092.SM.6
		Note: Sigma80 not recommended for bidet seat applications	
		Required Transformer with 12VDC output for AC powered hands-free actuator (order separately)	115.861.00.6
		Extension mains cable 12V (optional accessory for Sigma10 and Sigma80) length 71" (1.8 m)	244.094.00.1
		Connection cable for external button (optional accessory) length 78-3/4" (2 m)	242.658.00.1

**Remote Programming Accessory for Hands-Free Actuators**

	"Service Handy" remote programming device for Geberit touch-free devices	115.860.00.1
---	--	--------------

**Dual-Flush Buttons for Concealed Installations, Sigma 2x4 Installation**

Type 01	Plastic	Alpine White	116.043.11.1
		Polished Chrome	116.043.21.1
		Matte Chrome	116.043.JQ.1
Type 10	Plastic	Alpine White 	116.045.11.1
		Matte Chrome, Polished Chrome Accent	116.056.KH.1
Rectangle	Plastic	White, Polished Chrome Accent	116.056.KJ.1
		Gloss Black, Matte Black Accent	116.056.DW.1
		Matte Black, Gloss Black Accent	116.056.16.1
		Polished Chrome, Matte Chrome Buttons	116.053.KA.1
Zinc	Plastic	Black, Brushed Chrome Buttons	116.053.KV.1
		Brushed Chrome	116.053.GH.1
		Polished Chrome	116.054.21.1

**Single-Flush Buttons for Concealed Installations, Sigma 2x4 Installation**

Style	Material	Finish	Model No.
Type 01 <sup>†</sup>	Plastic	Alpine White	116.041.11.1
		Polished Chrome	116.041.21.1

**Extension Hoses for Flush Button Installations**

(For Flush Buttons located beyond 6' from carrier)			
	Double pneumatic hose for dual-flush, 78.74" (2 m) (Blue/Clear for Type01/Type10/Rectangle)		240.575.00.1
	Pneumatic hose, 137.80" (3.5 m), for single flush		256.000.00.1

 Products marked with this symbol are compatible with the Geberit Control App. See note on the next page.

Products marked with  comply with the American Disabilities Act (ADA) when installed per the requirements of the latest ADA Accessibility Guidelines (ADAAG) and/or ICC/ANSI A117.1.

# GEBERIT INSTALLATION SYSTEMS

## Systems for Wall-Hung Toilets, 2x4 Installation

### Cover Plates for Concealed Tank, Sigma 2x4 Installation, for use with Flush Buttons

	Glass	White	115.766.SI.1
	Stainless	Brushed Stainless Steel, Vandal Resistant	115.764.FW.1
		Customizable	115.766.00.1
	Plastic	Alpine White	115.768.11.1
		Polished Chrome	115.768.21.1
		Matte Chrome	115.768.46.1

### Surface-even Cover Plates for Sigma Concealed Tank, 2x6 Installation, for use with Flush Buttons

	Plastic	Customizable mechanism †	115.696.00.1
	Stainless	Pre-made Cover, White, Matte White Accent	CR115-6111
		Pre-made Cover, Matte Black Coated, Black Accent	CR115-6161
		Pre-made Cover, Brushed Stainless Steel	CR115-6FW1
Optional pre-made accessory in combination with 115.696.00.1 See any remote button spec sheet for details			
	Plastic	Customizable mechanism with frame †	115.697.00.1
		Note: Required accessory kit 243.168.00.1 is included with 111.597.00.1 and 111.798.00.1 carrier.	

† Note: For tile, stone or other hard surfaced walls only!  
‡ Not intended to be sold in California with 1.6 GPF units

The information contained in this document is subject to change without notice.



### Geberit Control – the app for your Geberit products

The Geberit Control App supports professional users with Geberit products. Use the app to check battery levels or install firmware updates. Adjust basic settings such as detection time and detection range. The app also includes helpful tips and tricks for using Geberit products. Download the Geberit Control app for free from the app store. Available for Android or iOS.


Note: The Geberit Control App replaces the "Service Handy" remote programming accessory for hands-free actuators.



**Geberit Duofix Carrier 111.798.00.1 and 111.597.00.1, Sigma 2x4 Installation**

Item	Model No.	Description
1	242.314.00.1	Materials for Concealed Carrier and Tank installation
2	242.418.00.1	Splash guard protection cover for Sigma Concealed Tank 2x4
3	243.345.00.1 or 243.168.00.1	Mud guard protection housing for Sigma Concealed Tank 2x4, plastic
4	362.771.00.1	Seal for concealed flush pipe, EPDM
5	362.796.92.1	Protection plug, plastic
6	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation
7	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps
7	152.404.11.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte White cover caps (accessory only)
7.1	217.713.46.1	Cover caps with leveling washer, plastic, Matte Chrome
7.2	119.668.00.1	Seal for supply inlet tube, EPDM
7.3	152.424.00.1	Seal for toilet outlet connector, EPDM
8	241.899.00.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet
8.1	387.282.00.1	Seal for outlet bends, EPDM
9	366.820.92.1	Protection plug, plastic
10	—	Flexible coupling FERNCO 3005-33
11	242.012.00.1	Outlet pipe bracket (complete)
12	242.886.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x4 (from mid-2013 on)
13	216.179.00.1	Installation hardware
14	240.851.00.1	Drop ear elbow, copper


Item	Model No.	Description
15	243.175.00.1	Connection hose for Sigma Concealed Tank 2x4, 3/8"
15	243.357.00.1	Connection hose for Sigma Concealed Tank 2x4, 3/8" - for salt water applications
15.1	240.922.00.1	Set of seals for RFB hose
16	243.279.00.1	Fixation clip for filling valve
17	241.469.00.1	Filling valve Type 380 for Sigma, Omega and Kappa Concealed Tanks
17.1	240.771.00.1	Seal kit for filling valve Type 380
17.2	241.670.00.1	Nipple to filling valve Type 380 for Sigma Concealed Tank 2x4
18A	243.727.00.1	1.28/0.8 GPF dual-flush valve for Sigma Concealed Tank 2x4 (111.597)
18B	241.290.00.1	Dual-flush valve for 1.6/0.8 GPF Sigma Concealed Tank 2x4 (111.728/111.798)
18.1	241.167.00.1	Yoke set for flush valves
18.2	241.291.00.1	Flat gasket for flush valve for Sigma Concealed Tank 2x4
18.3	241.292.00.1	Fixing rail to Sigma Concealed Tank 2x4
19	242.269.00.1	Valve seat basket and noise bushing for flush valve
19.1	241.293.00.1	U-cup seal for valve basket
20	243.344.00.1	Flush actuator gear box
21	240.847.00.1	Stop valve to concealed tank (blue handle for salt water applications)
21	242.414.00.1	Stop valve to concealed tank (blue handle)
21.1	240.298.00.1	Spindle to angle stop valve
21.2	240.347.00.1	Handle for angle stop valve (blue)
22	111.892.00.1	Frame mounting screws for steel stud construction, galvanized, self-tapping
23	244.125.00.1	Foot plate set



The information contained in this document is subject to change without notice.

# GEBERIT SYSTEM ACCESSORIES

## Geberit Optional and Required Accessories for Installation



Description	Model Number	111.335	111.798	111.012	111.520	111.524	111.490	111.625	109.304	109.781
		111.902	111.597	111.018					109.307	109.797


### OPTIONAL Connection Sets and Accessories for Finished Walls up to 3.5" (9cm) Thick

	PE syphon trap with horizontal outlet and seal; Ø1.96" (Ø50 mm) outlet	152.950.11.1							✓		
	PE syphon trap with vertical outlet and seal; Ø1.97" (Ø50 mm) outlet	152.951.11.1							✓		
	Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	✓	✓	✓	✓	✓				
	Cover caps with leveling washer, plastic, Alpine White	217.713.11.1	✓	✓	✓	✓	✓	✓			
	HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	405.116.00.1	✓	✓	✓					✓	✓

### REQUIRED Connection Sets and Accessories for Finished Walls 3.5" - 7.0" (9-18cm) Thick

	HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	✓	✓	✓					✓	✓
	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	240.938.00.1	✓	✓	✓					✓	✓
	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, plastic, 4 inch (10 cm)	241.826.00.1	✓	✓						✓	✓
	Mud guard protection housing and extension set for urinal carrier	241.930.00.1							✓		
	Mounting rod M12 x 10" long. Not supplied.	M12 x 10"	✓	✓	✓	✓	✓				
	Mounting rod M10 x 10" long. Not supplied.	M10 x 10"						✓			
	Mounting rod M8 x 10" long. Not supplied.	M8 x 10"							✓		

The information contained in this document is subject to change without notice.



Description	Model Number	111.335	111.798	111.012						109.304	109.781
		111.902	111.597	111.018	111.520	111.524	111.490	111.625	109.307	109.797	

**OPTIONAL Installation Accessories for Bidet Seats**

	Water supply hose for bidet seat for Kappa and Omega Concealed Tank pre-wall. For adding bidet seat to an installed carrier. For complete installation, must order with 249.801.00.1.	240.839.00.1			✓								
	Water supply hose for bidet seat for 111.597.00.1 and 111.798.00.1 carrier with Sigma Concealed Tank 2x4. For adding bidet seat to an installed carrier. For complete installation, must order with 249.801.00.1.	243.173.00.1			✓								
	Water supply hose for bidet seat add-on after finished installation of Sigma 2x6 and 2x4, Kappa and Omega Concealed Tanks.	249.801.00.1	✓	✓	✓								


**OPTIONAL Installation Accessories for Geberit Duofix Carrier Frames**

	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.013.00.1		✓									
	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	✓		✓	✓	✓	✓	✓				
	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	✓	✓	✓	✓	✓	✓	✓				
	Support brackets for wall-hung toilets with small contact surface (thin profiles)	111.847.00.1	✓		✓								
	Fire protection set for Sigma Concealed Tank 90 min. fire resistance to DIN EN 1364-1:1999-10	111.863.00.1	✓										
	Reinforcing member for Geberit Duofix element for lavatory to increase load rating to 660 lbs (300 kg)	111.040.00.1						✓					
	Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-9.50" (13-24 cm)	111.064.00.1	✓	✓	✓	✓	✓	✓	✓				
	Fastening set for sinks with 14.9"-22.8" (38-58 cm) mounting centers	111.868.00.1						✓					
	Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	✓	✓	✓	✓	✓	✓	✓				
	Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick (unfinished pre-wall)	111.887.00.1	✓	✓	✓	✓	✓	✓	✓				
	Crossbar for inlet 1/2" thread	242.042.00.1								✓			
	Retrofit adapter for inlet, 1/2" thread	242.309.00.1								✓			
	Elbow supply fitting set, Gun Metal	465.034.00.2				✓	✓	✓					

The information contained in this document is subject to change without notice.

# GEBERIT SYSTEM ACCESSORIES

## Geberit Optional and Required Accessories for Installation



Description	Model Number	111.335	111.798	111.012	111.520	111.524	111.490	111.625	109.304	109.781
		111.902	111.597	111.018					109.307	109.797


### OPTIONAL Installation Waste Fitting Accessories

	PP connector set with bend for floor-mount toilets with mounting hardware, 1 x 90° bends with socket for Ø4.375" (Ø110 mm) push fit piping for Ø3.82"-4.21" (Ø97-107 mm) male connection and expansion to Ø4.375" (Ø110 mm) outlet	152.647.00.1								✓ (For A or B discharge. See below)	✓
	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	366.061.16.1								✓ (For A discharge. See below)	✓
	HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	✓	✓	✓					✓ (For A discharge. See below)	✓
	HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.913.16.1	✓	✓	✓					✓ (For A discharge. See below)	✓
	HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.914.16.1	✓	✓	✓					✓ (For A discharge. See below)	✓
	Cast iron fitting; 90° 3.5" (90 mm) inlet, 3" outlet, 2" NPTF heel outlet	367.072.18.1	✓	✓	✓					✓ (For A discharge. See below)	✓
	HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	✓	✓	✓					✓ (For A or B discharge. See below)	✓
	HDPE "Back-to-back" connector for vertical drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	✓	✓	✓					✓ (For A or B discharge. See below)	✓

Note: Any of these fittings in combination with Geberit installation systems are cUPC and IPC listed.

### Waste Fitting Discharge Configurations for Floor Mount Back Outlet Toilets

Note: Mounting collar/clamp by installer



**A. Floor-Mount Rear Discharge into Wall**

**B. Floor-Mount Rear Discharge into Floor**

The information contained in this document is subject to change without notice.