



BF1497-XXX-001

STANDARD: PB4 Pressure Balance Shower System

SPECIFICATIONS



Components included

- BF1389-XXX*: Rainhead with Vertical ceiling arm
- 104336-XXX*: 2-jet handshower (2 direct positions and
- 1 shared position)
- 103577-110: Wallbar
- 101620-XXX*: 60" flexible and soft PVC hose
- BF1299-110: 1/2" Pressure balance valve with diverter and decorative trim
- 102847-110: Wall outlet
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1497-110-001
- Chrome and black: BF1497-150-001

Certifications

- The specified model meets or exceeds the following standards;
- ASME A112.18.1 / CSA B125.1



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com



BF1389 STANDARD: Rainhead with Vertical Ceiling Arm **SPECIFICATIONS**

Features

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 200 mm (7 7/8")
- Anti-scale system with soft sprays
- Adjustable orientation swivel •

Colors (Finishes)

- Chrome : BF1389-110
- Black and Chrome : BF1389-150 .

Packaging

- **Dimensions**: 435 mm x 320 mm x 144 mm (17 1/8" x 12 1/2" x 5 1/2")
- Volume: 0.68 cu ft (0.020 cu m)
- **Total weight**: 2.10 lb (0.95 kg)

Maximum flow rate

15 liters/min. (4 gallons/min.) at 80 psi ٠

Certifications

٠

The specified model meets or exceeds the following standards; ASME A112.18.1 / CSA B125.1






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2^e Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f 🛛 🕏 🛗

Kalia

KONTOUR

104336 STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct positions and 1 shared position

Colors (Finishes)

- Chrome : 104336-110
- Black and Chrome : 104336-150

Packaging

- Dimensions: 290 mm x 130 mm x 40 mm (11 3/8" x 5" x 1 1/2")
- Volume: 0.05 cu ft (0.002 cu m)
- Total weight: 0.50 lb (0.24 kg)

Maximum flow rate

• 11.4 liters/min. (3 gallons/min.) at 80 psi

Certifications

The specified model meets or exceeds the following standards;

• ASMĚ A112.18.1 / CSA B125.1




WARRANTY

Installation Notes

installation instructions provided.

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

This product must be installed following the





1355, 2° Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f の ♯



103577 Wallbar for handshower SPECIFICATIONS

Features

- Total height of 742 mm (30")
- Easy-to-use gliding system
- Locking system

Colors (Finishes)

• Chrome : 103577-110

Packaging

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- Volume: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.9 lb (0.86 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f Ø ♯

KONTOURTM

BF1299



1/2" Pressure Balance Valve With Diverter and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Shut-off valves included
- Solid brass construction
- Total adjustment of 19 mm (3/4")
- Included support for better stability during installation
- Can be installed back-to-back
- · Push-button diverter with automatic or mechanical reset

Colors (Finishes)

• Chrome : BF1299-110

Packaging

- **Dimensions**: 362 mm x 184 mm x 191 mm (14 1/4" x 7 1/4" x 7 1/2")
- Volume: 0.45 cu ft (0.013 cu m)
- Total weight: 4.56 lb (2.07 kg)

• ASME A112.18.1 / CSA B125.1

Maximum flow rate

• 20 liters/min. (5.28 gallons/min.) at 60 psi

Certifications

The specified model meets or exceeds the following standards;




H

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industr Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089 KaliaStyle.com



102847 Wall Outlet **SPECIFICATIONS**

Features

- Water 1/2" NPT (male or female) inlet
- Water G1/2 male oulet
- Solid brass construction
- PVD finish (Physical Vapour Deposit): A high • technology process that protects the surface finish for increased durability

Colors (Finishes)

- Chrome : 102847-110 ٠
- Brushed Nickel PVD: 102847-120

Certifications

Intertek

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1

Packaging

•

(12" x 4 5/8" x 3 5/8")

Dimensions: 305mm x 117mm x 92mm

Volume: 0.12 cu ft (0.003 cu m)

Total weight: 0.40 lb (0.18 kg)

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.

