

# BF1718-XXX-200

### PREMIA: TCD1 Thermostatic Coaxial Shower System

### **SPECIFICATIONS**



#### **Components included**

- BF1397-XXX: Rainhead with 90° wall arm (2 direct positions and 1 shared position)
- 103579-XXX: 2-jet handshower (2 direct positions and 1 shared position)
- 103576: Wallbar
- 101620-XXX: 60" flexible and soft PVC hose
- BF1726: 2-way AQUATONIK type T/P 1/2" coaxial valve with diverter
- 102856: Wall outlet

#### **Colors (Finishes)**

- Chrome: BF1718-**110**-200
- Black and chrome: BF1718-150-200

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ICC A117.1

See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





<sup>\*</sup> XXX means that the finish color must be specified.





# **BF1397**

# PREMIA: Rainhead with 90° wall arm

### **SPECIFICATIONS**

#### **Features**

- Male water inlet 1/2 NPT
- Soft tips for easy cleaning of limescale
- · Adjustable orientation swivel
- 2 direct positions and 1 shared position
- Solid brass arm and plastic rainhead construction

#### **Colors (Finishes)**

• Chrome: BF1397-110

Chrome and black: BF1397-150

#### Maximum flow rate

• 9.5 L/min (2.5 gpm) at 80 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



11/19



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089 KaliaStyle.com





# **BF1407**

PREMIA: 2-jet handshower, wallbar and 60" flexible and soft PVC hose assembly

### **SPECIFICATIONS**

#### **Features**

#### 2-jet handshower (103579-XXX)

- Dimension: 86 mm (3 3/8")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct positions and 1 shared position
- Max. flow 9.5 L/min (2.5 gpm) to 80 psi
- Plastic construction

#### Wallbar (102858-XXX)

- Total height of 775 mm (30 1/2")
- Locking system
- Easy-to-use gliding system
- Plastic construction

#### 60" flexible and soft PVC hose (101620-XXX)

1/2 female connection

#### **Colors (Finishes)**

Chrome: BF1407-110

Chrome and black: BF1407-150

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 Intertek ICC A117.1

#### **Packaging**

**Dimensions**: 820 mm x 245 mm x 205mm (32 1/4" x 9 5/8" x 8 1/8")

**Volume**: 0.04 cu m (1.45 cu ft) **Total weight**: 2.54 kg (5.6 lb)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.



1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) **F** 418-387-9089

KaliaStyle.com f Ø 🕏 🛗





ONCE UPON A TIME...WATER®

# **BF1726**

2-way AQUATONIK<sup>TM</sup> type T/P 1/2" coaxial valve with diverter and decorative trim

#### **SPECIFICATIONS**

#### **Features**

- Solid brass construction
- No visible screw
- Integrated service stops
- Two male water inlets 1/2NPT threaded or welded
- Two male water outlets 1/2NPT threaded or welded
- Total adjustment of 32 mm (1 1/4")
- Can be installed back-to-back
- Support for better stability during installation included

#### **Colors (Finishes)**

Chrome: BF1726-110

#### **Volume**: 0.014 m<sup>3</sup> (0.51 pi<sup>3</sup>) **Total weight**: 2.32 kg (5.1 lb)

**Maximum flow rate** 

(14 5/8" x 7 1/2" x 8 1/8")

**Packaging** 

• 1 outlet = 25 L/min (6.6 gpm) at 60 psi

**Dimensions**: 370 mm x 190 mm x 205 mm

2 outlets = 29 L/min (7.7 gpm) at 60 psi



### **Certifications**

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1




### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2e Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f @ \$ 🛗



# 102856 Square Wall Outlet

### **SPÉCIFICATIONS**

#### **Features**

- Male or female water inlet 1/2NPT
- Male water oulet G1/2
- · Solid brass construction

#### **Colors (Finishes)**

Chrome: 102856-110Matte black: 102856-160

#### **Certifications**

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089 KaliaStyle.com

