Kalia
ONCE UPON A TIME...WATER®

CITÉ™

BF1716-XXX-001

STANDARD: TCD1 Thermostatic Coaxial Shower System

SPECIFICATIONS



Components included

- BF1377-XXX * : Rainhead with vertical ceiling arm
- 102852-XXX * : 3-jet handshower
- 101323-XXX * : Wallbar
- 101620-XXX * : 60" flexible and soft PVC hose
- BF1725-XXX * : 2-way AQUATONIK type T/P 1/2" coaxial valve with diverter
- 106192-XXX * : Wall outlet

** XXX means that the finish color must be specified.*

Colors (Finishes)

- Chrome : BF1716-**110-001**
- Brushed Nickel PVD : BF1716-**120-001**

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1

Intertek

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street
Sainte-Marie (Quebec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-877-465-2542)
F 418-387-9089

KaliaStyle.com

BF1377

STANDARD: Rainhead and Vertical Ceiling Arm

SPECIFICATIONS



Features

- Water 1/2'' male inlet NPT
- Diameter of 229mm (9'')
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

- Chrome : BF1377-**110**
- Brushed Nickel PVD : BF1377-**120**

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1

Intertek

Packaging

- **Dimensions**: 406mm x 324mm x 133mm (16" x 12 3/4" x 5 1/4")
- **Volume**: 0.62 cu ft (0.018 cu m)
- **Total weight**: 2.69 lb (1.22 kg)

Maximum flow rate

- 9.5 liters/min. (2.5 gallons/min.) at 80 psi


Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia inc.
1355, 2nd Street
Sainte-Marie (Quebec)
Canada G6E 1G9

t. **1-418-387-9090**
1 877 GO KALIA (1-877-465-2542)
f. 1-418-387-9089
www.KaliaStyle.com

102852

STANDARD: 3-Jet Handshower

SPECIFICATIONS

Features


- Diameter of 100mm (4'')
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 3 direct positions and 2 shared positions
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.47 lb (0.214 kg)

Maximum flow rate

- 9.5 liters/min. (2.5 gallons/min.) at 80 psi



Colors (Finishes)

- Chrome : 102852-**110**
- Brushed Nickel PVD : 102852-**120**

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1


Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia inc.
1355, 2nd Street
Sainte-Marie (Quebec)
Canada G6E 1G9

t. **1-418-387-9090**
1 877 GO KALIA (1-877-465-2542)
f. 1-418-387-9089
www.KaliaStyle.com

BELLINO™ / CITÉ™


101323

Wallbar for Handshower

SPECIFICATIONS

Features

- Total height of 762mm (30'')
- Locking system of 1/4 turn
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability



Colors (Finishes)

- Chrome : 101323-**110**
- Brushed Nickel PVD : 101323-**120**

Packaging

- **Dimensions**: 832mm x 152mm x 89mm (32 3/4" x 6" x 3 1/2")
- **Volume**: 0.40 cu ft (0.011 cu m)
- **Total weight**: 1.9 lb (0.86 kg)


Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia inc.
1355, 2nd Street
Sainte-Marie (Quebec)
Canada G6E 1G9

t. **1-418-387-9090**
1 877 GO KALIA (1-877-465-2542)
f. 1-418-387-9089
www.KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

CITÉ™
BF1725

2-way AQUATONIK™ type T/P 1/2” coaxial valve with diverter and decorative trim

SPECIFICATIONS


Features
- Solid brass construction
- No visible screw
- Integrated service stops
- Two male water inlets 1/2NPT threaded or welded
- Two male water outlets 1/2NPT threaded or welded
- Total adjustment of 32 mm (1 1/4”)
- Can be installed back-to-back
- Support for better stability during installation included

Colors (Finishes)
- Chrome : BF1725-**110**
- Brushed Nickel PVD : BF1725-**120**

Certifications
The specified model meets or exceeds the following standards;
- ASME A112.18.1 / CSA B125.1
- ICC A117.1

Packaging
- **Dimensions**: 370 mm x 190 mm x 205 mm (14 5/8” x 7 1/2” x 8 1/8”)
- **Volume**: 0.014 m³ (0.51 pi³)
- **Total weight**: 2.36 kg (5.25 lb)


Maximum flow rate
- 1 outlet = 25 L/min (6.6 gpm) at 60 psi
- 2 outlets = 29 L/min (7.7 gpm) at 60 psi





Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:







Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2e Rue, Parc industriel
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-877-465-2542)
F 418 -87-9089


KaliaStyle.com

Kalia
ONCE UPON A TIME...WATER®

106192
Wall Outlet
SPECIFICATIONS

Features
- Female water inlet 1/2NPT
- Male water oulet G1/2
- Connector adjustable in depth
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability


Colors (Finishes)
- Chrome: 106192-**110**
- Pure nickel PVD: 106192-**125**
- Matte black: 102847-**160**



Installation Notes
This product must be installed following the installation instructions provided.

WARRANTY
Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

Product dimensions:



Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

Kalia
ONCE UPON A TIME...WATER®

1355, 2nd Street, Industrial Park
Sainte-Marie (Québec)
Canada G6E 1G9

T 418-387-9090
1-877-GO-KALIA (1-87- 465-2542)
F 418 387-9089

KaliaStyle.com