
American Standard

TOWNSEND® TWO-HANDLE WIDESPREAD LAVATORY FAUCET



GENERAL DESCRIPTION:

Cast brass valve bodies with flexible hose connections for 6" to 12" (152 mm to 30 5mm) installations. 1/4 turn washerless ceramic disc valve cartridges. Cast brass spout. Cast brass inlet shanks and 24" stainless steal braided flexible supply hoses with 3/8" compression connectors. 20 inch (500 mm) long flexible stainless steel drain cable is pre-assembled to faucet body. Brass push pop-up drain. 1.2 gpm/4.5 L/min. maximum flow rate.

PRODUCT FEATURES:

Brass Construction: Durable. Ideal for prolonged contact with water. Provides the finest surface for application of all finishes.

Ceramic Disc Valve Cartridge: Assures a lifetime of smooth handle operation and drip-free performance.

Exclusive Brass push pop-up drain:

- Brass push pop-up drain.
- Fewer parts. Installs in less time.

Lead Free: Faucet contains $\leq 0.25\%$ total lead content by weighted average.

SUGGESTED SPECIFICATION

Two-handle widespread lavatory faucet shall feature cast brass valve bodies with flexible hose connections for 6" to 12" installations. Shall also feature 1/4 turn washerless ceramic disc valve cartridges. Shall feature a brass push pop-up drain. Shall also feature a metal drain body with stainless steel cable actuation. Fitting shall be American Standard Model #7353841.___.




TOWNSEND® TWO-HANDLE WIDESPREAD LAVATORY FAUCET

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ASME A112.18.1 CSA B125.1 NSF 61/Section 9 **NSF 372 ANSI A117.1**



			Finish Options				
			Polished Chrome	Polished Nickel	Legacy Bronze	Brushed Nickel	Matte Black
Product Number	Description		002	013	278	295	243
7353841	Townsend Widespread with Brass push pop-up drain. Metal lever handles	Ŀ ADA					



Meets CSA B651 Barrier Free code. Check local codes.



ADA Meets the American Disabilities Act Guidelines and ANSI A117.1 Requirements for the physically challenged.