





STANDARD: T2 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1380-XXX*: Rainhead and 90° wallarm
- 102845-XXX*: 2-jet handshower
- 101328-XXX* : Wallbar
- 101620-XXX*: 60" flexible and soft PVC hose
- BF1122-XXX*: 1/2" Volume control valve and decorative trim
- BF1118-XXX*: AQUATONIKTM type T/P 1/2" valve and decorative trim
- 101237-XXX*: Wall outlet with volume control

Colors (Finishes)

• Chrome: BF1179-**110**

• Brushed Nickel PVD: BF1179-120

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

^{*} XXX means that the finish color must be specified.



BF1380

STANDARD: Rainhead and 90° Wallarm

SPECIFICATIONS

Features

- Water 1/2" male inlet NPT
- Dimensions: 200 x 200mm (7 7/8" x 7 7/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

- Chrome: BF1380-110
- Brushed Nickel PVD: BF1380-120

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

• Total weight: 2.15 lb (0.975 kg) Maximum flow rate

(16" x 12 3/4" x 5 1/4")

Volume: 0.62 cu ft (0.018 cu m)

Packaging

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi

Dimensions: 406mm x 324mm x 133mm




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc. 1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



102845

STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features

- Dimension: 102mm (4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 102845-110

Brushed Nickel PVD: 102845-120

Certifications

The specified model meets or exceeds the following standards:

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.62 lb (0.28 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



Wallbar for Handshower

SPECIFICATIONS



- Total height of 762mm (30")
- Locking system of 1/4 turn
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability




• Chrome: 101328-110

Brushed Nickel PVD: 101328-120

Packaging

• **Dimensions**: 832mm x 152mm x 89mm (32 3/4" x 6" x 3 1/2")

Volume: 0.40 cu ft (0.011 cu m)
 Total weight: 1.9 lb (0.86 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9





SPECIFICATIONS

Features

- No visible screw
- Water 1/2" female inlet NPT threaded
- · Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: BF1122-**110**

• Brushed Nickel PVD: BF1122-120

Certifications

The specified model meets or exceeds the following standards:

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- Volume: 0.12 cu ft (0.003 cu m)
- **Total weight**: 2.09 lb (0.95 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9





BF1118

AQUATONIKTM type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Colors (Finishes)

• Chrome: BF1118-**110**

Brushed Nickel PVD: BF1118-120

Certifications

The specified model meets or exceeds the following standards:

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



Packaging

• **Dimensions**: 370 mm x 190 mm x 205 mm (14 \(\frac{5}{8} \) x 7 \(\frac{1}{2} \) x 8 \(\frac{1}{8} \))

Volume: 0.014 cu m (0.51 cu ft)
Total weight: 3.4 kg (7.5 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ② ♯ 描



101237

Wall Outlet with Volume Control

SPECIFICATIONS

Features

- Water 1/2" female inlet NPT
- Water G1/2 male oulet
- Cartridge 3/4 with ceramic disc
- · Solid brass construction
- Check valve included
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 101237-110

• Brushed Nickel PVD: 101237-120

Packaging

• **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")

• **Volume**: 0.12 cu ft (0.003 cu m)


• **Total weight**: 0.75 lb (0.34 kg)



Certifications

The specified model meets or exceeds the following standards:


• ASME A112.18.1 / CSA B125.1



This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

Important: Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9